

/* Baseline Drug Use Answer Sheet Codebook */

PRJ_5655	N0	
SUB_020	N0	
FORM_19	N0	
K_DATE	N0	
K_TIME	N0	
K_OPER	N0	
K_CODE	N0	
VERIFY	N0	
V_DATE	N0	
V_TIME	N0	
V_OPER	N0	
BATCH	N0	
RESERVE	N0	
DOC_ID	N0	subject ID no.
ENROLLMM	N0	date of enrollment: month Range = 01 - 12
ENROLLDD	N0	date of enrollment: day Range = 01 - 31
ENROLLYR	N0	date of enrollment: year Range = 95 - 96
TODAY_MM	N0	today's date: month Range = 01 - 12
TODAY_DD	N0	today's date: day Range = 01 - 31
TODAY_YR	N0	today's date: year Range = 95 - 96
BD_A1	N0	Age first tried marijuana Range = 10 - 45 91 = never used marijuana
BD_A2	N0	Last time used marijuana 01 = Within the past week (7 days) 02 = Within the past month 03 = > 1 mos ago, but less than 3 mos 04 = > 3 mos ago, but less than 6 mos 05 = > 6 mos ago, but less than 1 yr 06 = > 1 yrs ago, but less than 3 yrs 07 = 3 or more years ago 91 = Never used marijuana or hash
BD_A3	N0	How often used marijuana during preg? 01 = daily 02 = almost daily or 3-6 days/wk 03 = 1 - 2 days a week 04 = several times a month

			05 = monthly or less 91 = did not use marijuana
BD_A4	N0	Live w/ someone who smoked marijuana?	01 = yes 02 = no
BD_A5	N0	Age first tried crack	Range = 10 - 45 91 = never tried crack
BD_A6	N0	Last time used crack	01 = Within the past week (7 days) 02 = Within the past month 03 = > 1 mos ago, but less than 3 mos 04 = > 3 mos ago, but less than 6 mos 05 = > 6 mos ago, but less than 1 yr 06 = > 1 yrs ago, but less than 3 yrs 07 = 3 or more years ago 91 = Never used crack
BD_A7	N0	How often used crack during preg?	01 = daily 02 = almost daily or 3-6 days/wk 03 = 1 - 2 days a week 04 = several times a month 05 = monthly or less 91 = did not use crack
BD_A8	N0	Use crack w/i 24 hours of labor?	01 = yes 02 = no
BD_A9	N0	Use crack to cause labor?	01 = yes 02 = no
BD_A10	N0	Live w/ someone who smoked crack?	01 = yes 02 = no
BD_A11	N0	Age first tried cocaine	Range = 10 - 45 91 = never tried cocaine
BD_A12	N0	Last time used cocaine	01 = Within the past week (7 days) 02 = Within the past month 03 = > 1 mos ago, but less than 3 mos 04 = > 3 mos ago, but less than 6 mos 05 = > 6 mos ago, but less than 1 yr 06 = > 1 yrs ago, but less than 3 yrs 07 = 3 or more years ago

			91 = Never used cocaine
BD_A13	N0	How often used cocaine during preg?	
			01 = daily
			02 = almost daily or 3-6 days/wk
			03 = 1 - 2 days a week
			04 = several times a month
			05 = monthly or less
			91 = did not use cocaine
BD_A14	N0	Use cocaine w/i 24 hours of labor?	
			01 = yes
			02 = no
BD_A15	N0	Use cocaine to cause labor?	
			01 = yes
			02 = no
BD_A16	N0	Age first tried heroin	
			Range = 10 - 45
			91 = never tried heroin
BD_A17	N0	Last time used heroin	
			01 = Within the past week (7 days)
			02 = Within the past month
			03 = > 1 mos ago, but less than 3 mos
			04 = > 3 mos ago, but less than 6 mos
			05 = > 6 mos ago, but less than 1 yr
			06 = > 1 yrs ago, but less than 3 yrs
			07 = 3 or more years ago
			91 = Never used heroin
BD_A18	N0	How often used heroin during preg?	
			01 = daily
			02 = almost daily or 3-6 days/wk
			03 = 1 - 2 days a week
			04 = several times a month
			05 = monthly or less
			91 = did not use heroin
BD_A19	N0	Did you smoke heroin during preg?	
			01 = yes
			02 = no
BDA20INH	N0	During preg did you use inhalants?	
			01 = yes
BDA20HAL	N0	During preg did you use hallucinogens	
			02 = yes
BDA20MTR	N0	During preg did you use meth (Tr.Prg)	
			03 = yes
BDA20MOT	N0	During preg did you use meth (other)	
			04 = yes
BDA20SMT	N0	During preg did you use smokable meth	

BDA20NO	N0	Did not use any these drugs	05 = yes
			91 = yes
BD_A21	N0	Age first took a stimulant	Range = 10 - 45
			91 = never used a stimulant
BD_A22	N0	Last time took a stimulant	01 = Within the past week (7 days)
			02 = Within the past month
			03 = > 1 mos ago, but less than 3 mos
			04 = > 3 mos ago, but less than 6 mos
			05 = > 6 mos ago, but less than 1 yr
			06 = > 1 yrs ago, but less than 3 yrs
			07 = 3 or more years ago
			91 = Never used a stimulant
BD_A23	N0	Did you take a stimulant during preg?	01 = yes
			02 = no
BD_A24	N0	Age first took sed.,tranq.,analgesic	Range = 10 - 45
			91 = never used sed.,trnq., a analgesic
BD_A25	N0	Last time took sed.,tranq.,analgesic	01 = Within the past week (7 days)
			02 = Within the past month
			03 = > 1 mos ago, but less than 3 mos
			04 = > 3 mos ago, but less than 6 mos
			05 = > 6 mos ago, but less than 1 yr
			06 = > 1 yrs ago, but less than 3 yrs
			07 = 3 or more years ago
			91 = Never took a sed ,tranq,analgesic
BD_A26	N0	Did you take sed,trq,analg dur preg?	01 = yes
			02 = no
BDB1CIGS	N0	W/ alcohol: Cigarettes	01 = yes
BDB1ALCO	N0	W/ alcohol: Alcohol	02 = yes
BDB1MARI	N0	W/alcohol: Marijuana	03 = yes
BDB1INH	N0	W/alcohol: Inhalants	04 = yes
BDB1CRCK	N0	W/ alcohol: Crack Cocaine	05 = yes
BDB1COC	N0	W/alcohol: Other Cocaine	

			06 = yes
BDB1HALL	N0	W/ alcohol: Hallucinogens	
			07 = yes
BDB1HERN	N0	W/ alcohol: Heroin	
			08 = yes
BDB1SMTH	N0	W/ alcohol: Smokable Methamphetamine	
			09 = yes
BDB1OSTM	N0	W/ alcohol: Other Stimulants	
			10 = yes
BDB1SED	N0	W/ alcohol: Sedatives	
			11 = yes
BDB1TRQ	N0	W/ alcohol: Tranquilizers	
			12 = yes
BDB1ANLG	N0	W/ alcohol: Analgesics	
			13 = yes
BDB1OTH	N0	W/ alcohol: Other/SPECIFY	
			14 = yes
BDB1MTR	N0	W/ alcohol: Methadone (treat prgrm)	
			15 = yes
BDB1MOTH	N0	W/ alcohol Methadone (other source)	
			16 = yes
BDB1NONE	N0	Did not use drugs with alcohol	
			91 = yes
BDB1SPEC	A	Other drug w/ alcohol (SPECIFY)	
BD_B2	N0	Have you ever used a needle?	
			01 = yes
			02 = no
BD_B3	N0	Last time used a needle?	
			01 = Within the past week (7 days)
			02 = Within the past month
			03 = > 1 mos ago, but less than 3 mos
			04 = > 3 mos ago, but less than 6 mos
			05 = > 6 mos ago, but less than 1 yr
			06 = > 1 yrs ago, but less than 3 yrs
			07 = 3 or more years ago
			91 = Never used a needle
BD_B4	N0	Did you use a needle during preg?	
			01 = yes
			02 = no
BD_B5A	N0	Risk: Smoking marijuana during preg	
			01 = no risk
			02 = slight risk
			03 = moderate risk
			04 = great risk
BD_B5B	N0	Risk: Using crack during preg	

			01 = no risk 02 = slight risk 03 = moderate risk 04 = great risk
BD_B5C	N0	Risk: Using other cocaine during preg	01 = no risk 02 = slight risk 03 = moderate risk 04 = great risk
BD_B5D	N0	Risk: Drinking reg during preg	01 = no risk 02 = slight risk 03 = moderate risk 04 = great risk
BD_B5E	N0	Risk: Smoking cigs during preg	01 = no risk 02 = slight risk 03 = moderate risk 04 = great risk
BD_C1	N0	Number of times treated for drugs/alc Range = 01 - 10	91 = never treated for drugs/alc
BD_C2	N0	Was treatment for alcohol or drugs	01 = alcohol problems 02 = drug problems 03 = both 91 = never treated for alcohol/drugs
BD_C3	N0	Ask for treatment during pregnancy?	01 = yes 02 = no
BD_C4	N0	Receive treatment during pregnancy?	01 = yes 02 = no